



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

Date Mailed : 04/28/08

Patent No. : 7229702 B2
Patent Issued : 06/12/07
Docket No. : 03500.017132

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule(s) 1.322.

Respecting the alleged errors in the documents filed on 01/09/08; please see attachment.
"Therefore, no correction(s) is in order here under United States Codes (U.S.C.) 254 and the Code of Federal Regulation (C.F.R.) 1322."

In view of the foregoing, your request in this matter is hereby denied.

~~A certificate of correction will be issued to correct the remaining errors noted in your request.~~

A handwritten signature in cursive script, reading "Lamonte M. Newsome".

Lamonte M. Newsome
For Mary Diggs, Supervisor
Decisions & Certificates
Of Correction Branch
(703) 305-8309 or (703)-308-9390 #112

**FITZPATRICK CELLA HARPER & SCINTO
30 ROCKEFELLER PLAZA
NEW YORK NY 10112**

LMN

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: X

DATE : April 02, 2008TO SPE OF : ART UNIT 1794SUBJECT : Request for Certificate of Correction for Appl. No.: 10/506300 Patent No.: 7229702 B2

A response is requested with respect to a request for a certificate of correction.

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW within 7 days please complete and forward the response to the employee (named below) via scanning into application images using document code COGX.

DO NOT SENT TO ATTORNEY

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

Certificates of Correction Branch (CofC)

South Tower - 9A22

Palm Location 7580

You can fax the Directors/SPE response to 571-270-9990

LAMONTE NEWSOME

Certificates of Correction Branch

703-308-9390 ext. 112

Thank You For Your Assistance

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☐ Approved

All changes apply.

☒ Approved in Part

Specify below which changes do not apply.

☐ Denied

State the reasons for denial below.

Comments: Column 37, Structure 72 a-d - DENIED. The proposed
new structure also has (a different) typographical error. Applicant
has not included the BRACKET around the central 9, 9' -
dimethyl ~~fluorene~~ fluorene to indicate 3-6 repeat units.

MILTON I. CANO
SUPERVISORY PATENT EXAMINER

1794
Art Unit